COMING FULL CIRCLE: A FORMER NICU NURSE LEADER TURNED NICU MOTHER

Amy Wiford, BSN, RN, NTMNC

DEDICATION





Search

Menu

Kate Spillane, RN, MSN, NNP

Division: Neonatology

Department: Pediatrics

Primary Location:

PO Box 801430

Charlottesville, VA 22908

BACKGROUND

Education

Work experience





NOVEMBER 2, 2019

CATALYST FOR CHANGE

THE JOURNEY BEGINS





26 WEEKS

• OB appointment

Admission

NICU consult



27 WEEKS

Light bed rest

27 week appointment



28 WEEKS





OB appointment

Admission



1.239 KG BABY BOY







KANGAROO CARE

D-day: Discharge











CLINICAL OVERVIEW





CLINICAL OVERVIEW





DISCHARGE

- Family Integrated Care
 - partner with families in the care of their infant
 - promote infant growth through increased breast feeding
 - provide developmentally responsive care with parents acting as a buffer to the adverse effects of the NICU environment
 - encouraging and supporting skin-to-skin contact and engaging parents as collaborators in decision-making
 - Franck, L. S., & O'Brien, K. (2019). The evolution of family-centered care: From supporting parent-delivered interventions to a model of family Integrated Care. *Birth Defects Research*, 111(15), 1044–1059. https://doi.org/10.1002/bdr2.1521



- Consistency in nursing care
 - "This pilot study indicates that nursing care that is consistent and centralized, not necessarily around one nurse but rather a core team of nurses, may be beneficial in reducing maternal stress and may hold the promise of positively impacting additional infant, family, and nursing outcomes."

Gonya, J., Harrison, T., Feldman, K., Stein, M., & Chawla, N. (2018). Nursing networks in the NICU and their association with maternal stress: A pilot study. Journal of Nursing Management, 27(2), 442–449. https://doi.org/10.1111/jonm.12679










Developmental care

- Therapists
 - Physical therapy
 - Occupational therapy
 - Speech therapy


























Visitation Policy






AREAS OF IMPROVEMENT

Assessment findings

Med errors

• Breastmilk errors

Technology



BEYOND THE NICU

NICU FOLLOW-UP CLINIC





OVARIAN CANCERFACTS AND SYMPTOMS

#1 cause of gynecologic cancer deaths

200,000

women in the U.S. are living with the disease

1 in 78

a woman's lifetime risk

90%

of diagnosed women are older than 40 22,240

women will be diagnosed each year

14,070

expected fatalities annually

63

median age of diagnosis

RISK FACTORS



- Family history of ovarian, breast or colon cancers
- · Genetic mutations
- . Menopause and older age
- · Endometriosis



SYMPTOMS TO KNOW

Bloating	Feeling full too quickly	Back pain
Constipation	Difficulty eating	Fatigue
Frequent or urgent urination	Pain or pressure in the pelvis or abdomen	Change in bowel habits

PREVENTIVE FACTORS

000000000

Using oral contraceptives



Tubal ligation or removal of fallopian tubes or ovaries



Pregnancy and breastfeeding

